

CORNER GURDS

Overview

Corner guards are a protective solution designed to shield edges and corners from impact, wear, and damage. Made from durable rubber, these guards provide excellent resistance to abrasion, weather conditions, and heavy usage, making them ideal for both indoor and outdoor applications.



Technical Information

Technical Information

Specific Gravity	1.45±0.05
Hardness ASTM D2240	Shore A. 75±5
Tensile Strength ASTM D412	12.0 N/mm ²
Elongation at Break ASTM D412	325%, min.
Compression Set ASTM D395	35% (max) at 70°C for 22 hours
Tear Resistance – Die C ASTM D624	30KN/m, min.
Water Resistance	Good
Weather Resistance	Good

Ageing Test (ASTM D573)

Below are the results for the ageing resistance after the duration of the time and temperature

(Ageing Resistance 70hrs @ 100°C)

Change in Hardness (Points)	+5
Change in Tensile Strength	-25%
Change in Elongation at Break	-22%



Applications

1. Protects walls, columns, and edges in parking lots and warehouses
2. Used in industrial facilities to prevent damage to equipment and structures
3. Suitable for commercial buildings to maintain aesthetics and safety
4. Applied in residential areas to safeguard furniture and walls from impact



Inquiry/Ordering Info

- Specifications (dimensions, thickness, and design options)
- Pricing for standard and custom orders
- Installation methods and accessories
- Delivery options and lead time

WALL GUARDS

Overview

Wall guards are a protective solution designed to shield walls and surfaces from damage, wear, and impact. Made from high-quality rubber, these guards offer excellent durability, resistance to abrasion, and the ability to withstand harsh conditions. They are versatile and suitable for various environments, ensuring safety and maintaining aesthetics.



Technical Information

Technical Information

Specific Gravity	1.45±0.05
Hardness ASTM D2240	Shore A. 75±5
Tensile Strength ASTM D412	12.0 N/mm ²
Elongation at Break ASTM D412	325%, min.
Compression Set ASTM D395	35% (max) at 70°C for 22 hours
Tear Resistance – Die C ASTM D624	30KN/m, min.
Water Resistance	Good
Weather Resistance	Good

Ageing Test (ASTM D573)

Below are the results for the ageing resistance after the duration of the time and temperature

(Ageing Resistance 70hrs @ 100°C)

Change in Hardness (Points)	+5
Change in Tensile Strength	-25%
Change in Elongation at Break	-22%



Applications

1. Protecting walls in parking lots and warehouses.
2. Preventing damage to walls in industrial facilities.
3. Maintaining aesthetics and safety in commercial buildings.
4. Safeguarding walls from scratches and impacts in residential spaces.



Inquiry/Ordering Info

1. Specifications: Dimensions, thickness, and design options
2. Pricing: Standard and custom order rates
3. Installation: Methods and accessories
4. Delivery: Options and lead time

SPEED HUMPS

Overview

Speed humps are a durable traffic-calming solution designed to reduce vehicle speed and enhance safety. Made from high-quality rubber, these humps are weather-resistant, easy to install, and suitable for a variety of environments, including residential, commercial, and industrial areas.



Technical Information

Feature	Details
Material	High-quality, weather-resistant rubber
Dimensions	Standard and customizable sizes available
Height	Typically ranges from 50mm to 75mm
Weight Capacity	Supports up to 20 tons
Color Options	Yellow and black with reflective stripes



Applications

- Traffic Control
- Parking Lots
- Facility Protection
- Street Maintenance
- Event Venues
- Residential Areas



Inquiry/Ordering Info

- Specifications: Dimensions, height, and weight capacity
- Pricing: Standard and custom order rates
- Installation: Methods and required accessories
- Delivery: Options and lead time

WHEEL STOPPERS

Overview

Wheel stoppers are a durable and reliable solution designed to prevent vehicles from moving beyond a designated parking area. Made from high-quality rubber, these stoppers are weather-resistant, easy to install, and ideal for both indoor and outdoor parking facilities.



Technical Information

Feature	Details
Material	High-quality, durable rubber
Dimensions	Standard and customizable sizes available
Weight	Lightweight for easy installation
Color Options	Yellow and black with reflective stripes
Mounting	Pre-drilled holes for secure installation



Applications

Wheel stoppers rubber are ideal for managing vehicle parking and ensuring safety in various environments such as parking lots, garages, industrial facilities, and residential areas. They prevent vehicles from moving beyond designated areas, protecting walls, other vehicles, and property from potential damage. Additionally, they help maintain organized and efficient parking spaces for improved functionality and safety.



Inquiry/Ordering Info

For more information on wheel stoppers rubber, including specifications, pricing, installation methods, and delivery options, please contact us. We offer customized solutions tailored to your specific requirements to ensure optimal performance and safety.